

Sensor operated LED lamp. Only for installation inside industrial control cabinets.



Description	
Order Number:	490502612
Colour:	RAL 9003
Housing Material:	Mild steel, powder coated
ID protection class to EN 60 E20.	ID 00
IP protection class to EN 60 529:	IP 20
Included:	Motion sensor Schuko outlet (max. 16 A) Daisy Chain max. 10



## **Accessories:**

- Power cable AC black, 0.7 m
- Power cable AC orange, 0.7 m
- Power cable AC black, 3 m
- Power cable AC orange, 3 m
- Daisy Chain cable AC black, 0.7 m
- Daisy Chain cable AC orange, 0.7 m
- Daisy Chain cable AC black, 1.2 m
- Daisy Chain cable AC orange, 1.2 m



## **Technical Data**

Operating Temperature Range:	-30°C - 50°C
Mounting:	M5 screws (x2)
Dimensions A x B x C (D+E):	420 x 90 x 45 mm
Weight:	2 kg
Voltage / Frequency:	230 V ~ 50/60 Hz
Rated current:	16.8 A
Power consumption:	16 W
Lamp:	EB-7801
Luminosity:	1500 lm / 5100 K
Lifetime:	60,000 hrs. @ 20°C
Connection:	Recommended external backup fuse: 17 A (T) or circuit breaker C16


Please click on the graphics to download.

More CAD drawings can be found under Product Download.

<sup>&</sup>gt; Overview Product Group Energy-saving LED enclosure Lamps







click image to enlarge



## **Order Information**

**Taric code** 94054990