

## Roof Fan



## Description

|                            |                           |
|----------------------------|---------------------------|
| <b>Order Number:</b>       | 6065A4000                 |
| <b>Brand Name:</b>         | SOLIFLEX                  |
| <b>Colour:</b>             | RAL 7035                  |
| <b>Housing Material:</b>   | Mild steel, powder coated |
| <b>Ingress Protection:</b> | IP 54, Type 1, 12         |
| <b>Approvals:</b>          | CE, cURus                 |

## Technical Data


|                                     |                         |
|-------------------------------------|-------------------------|
| <b>Operating Temperature Range:</b> | -10°C - 55°C            |
| <b>Air flow unimpeded:</b>          | 490 m³/h                |
| <b>Static pressure:</b>             | 315 Pa                  |
| <b>Mounting:</b>                    | top mounted             |
| <b>Dimensions A x B x C (D+E):</b>  | 147 x 457 x 457 mm      |
| <b>Weight:</b>                      | 6.1 kg                  |
| <b>Cut out dimensions:</b>          | 291 x 291 mm            |
| <b>Voltage / Frequency:</b>         | 230 V ~ 50/60 Hz        |
| <b>Rated current:</b>               | 0.26 A / 0.35 A         |
| <b>Power consumption:</b>           | 58 W / 80 W             |
| <b>Degree of separation:</b>        | 85% - DIN 24185         |
| <b>Filter class:</b>                | G3 (Aluminium optional) |
| <b>Noise level:</b>                 | 70 dB(A)                |
| <b>Connection:</b>                  | 4 pole connector        |

Please click on the graphics to download.

More CAD drawings can be found under [Product Download](#).


> [Overview Product Group SOLIFLEX - Filter fans & exhaust filters](#)

### Performance graph:



[click image to enlarge](#)

### Cut Out Dimension:



[click image to enlarge](#)

## Order Information

|                   |               |
|-------------------|---------------|
| <b>Taric code</b> | 84145915      |
| <b>GTIN (EAN)</b> | 5350604100893 |