


Variable Speed Air Conditioner



Description


Order Number:	20200241
Brand Name:	Solitherm
Colour:	RAL 7035
Housing Material:	Mild steel, powder coated
Ingress Protection:	IP 54
Approvals:	CE

Technical Data

Cooling capacity L35L35:	max. 450 W
Cooling capacity L35L50:	max. 225 W
Compressor type:	Speed Control rotary compressor
Refrigerant / GWP:	128 g / 4.5 oz
High / low Pressure:	30 / 6 bar 440 / 88 psig
Operating Temperature Range:	+10°C - +55°C
Air flow volume (system / unimpeded):	Ambient air circuit: 230 / 275 m³/h Cabinet air circuit: 150 / 275 m³/h
Mounting:	19" rack
Dimensions A x B x C (D+E):	133 (3U) x 483 x 483 mm
Weight:	8.6 kg
Voltage / Frequency:	24 V DC
Current L35L35:	max. 12.7 A
Max. current:	13.5 A
Nominal power L35L35:	max. 305 W
Max. power:	325 W
Fuse:	16 A (T)
Short-circuit current rating:	5 kA
Connection:	Connection terminal block


Please click on the graphics to download.
 More CAD drawings can be found under [Product Download](#).
 > [Overview Product Group SOLITHERM 19" RACK - cooling solutions](#)

Performance graph:



[click image to enlarge](#)

Air flow:



[click image to enlarge](#)

Order Information

Taric code	84158200
GTIN (EAN)	5350604340022