

## LED light 400 Lm



### Description

|                            |                                                                        |
|----------------------------|------------------------------------------------------------------------|
| <b>Order Number:</b>       | 400000                                                                 |
| <b>Brand Name:</b>         | STRIPLITE                                                              |
| <b>Colour:</b>             | Top cover transparent / body blue                                      |
| <b>Housing Material:</b>   | PC plastic                                                             |
| <b>Ingress Protection:</b> | IP 20                                                                  |
| <b>Included:</b>           | Built-in motion sensor, switch off time 5 min.<br>mounting accessories |
| <b>Note:</b>               | class II<br>Energy class G                                             |
| <b>Approvals:</b>          | CE, cURus                                                              |

**Accessories:**



Female Connector



Male Connector



Power Cable Orange



Power Cable with Door Contact 3.5 m



Daisy Chain Cable Orange 0.5 m



Daisy Chain Cable Orange 1 m



DIN rail clip

## Technical Data


|                                     |                                   |
|-------------------------------------|-----------------------------------|
| <b>Operating Temperature Range:</b> | -30°C - 70°C<br>UL max temp: 60°C |
| <b>Mounting:</b>                    | Magnets / Clips                   |
| <b>Dimensions A x B x C (D+E):</b>  | 357.4 x 32 x 35.5 mm              |
| <b>Weight:</b>                      | 140 gr.                           |
| <b>Voltage / Frequency:</b>         | 24-265 V DC/AC ~ 0/50/60 Hz       |
| <b>Power consumption:</b>           | 4 Watt                            |
| <b>Lamp:</b>                        | LED, 7400K                        |
| <b>Luminosity:</b>                  | 400 Lm                            |
| <b>Lifetime:</b>                    | 50.000 hrs. @ 20°C                |
| <b>Connection:</b>                  | Connector system                  |

Please click on the graphics to download.

More CAD drawings can be found under [Product Download](#).

> [Overview Product Group STRIPLITE - LED Enclosure Lights](#)

**Cut Out  
Dimension:**



[click image to enlarge](#)

## Order Information

|                   |               |
|-------------------|---------------|
| <b>Taric code</b> | 94054099      |
| <b>GTIN (EAN)</b> | 5350604000001 |