

Outdoor air conditioner




Description

Order Number:	4106001
Brand Name:	Compact Outdoor
Housing Material:	Aluminum
Ingress protection to EN 60 529:	IP 65
Approvals:	CE

Technical data

Cooling capacity 95F/95F:	2970 BTU
Cooling capacity 95F/122F:	2630 BTU
Enclosure heater:	500 W
Compressor type:	Rotary piston compressor
Refrigerant / GWP:	R134a / 1430
Refrigerant charge:	450 g / 15.9 oz
High / low pressure:	40 / 37 bar 580 / 537 psig
Air volume flow (system / unimpeded):	Ambient air circuit: 264 / 500 cfm Cabinet air circuit: 123 / 265 cfm
Operating temperature range:	14°F - +122°F
Mounting:	Internal
Dimension H x W x D:	35.04 x 14.96 x 6.30 in.
Weight:	44.09 lbs
Voltage / Frequency:	230 V ~ 50/60 Hz
Current 95F95F:	2.1 A @ 50 Hz 2.2 A @ 60 Hz
Starting current:	6.2 A
Max. current:	2.6 A
Nominal power 95F95F:	450 W @ 50 Hz 500 W @ 60 Hz
Max. power:	600 W
Fuse:	5 A (T)
Short-circuit current rating:	5 kA
Connection:	Connection terminal block

Performance graph:



Cut out dimensions:

