

Filterless enclosure air conditioner




Description

Order Number:	4272002
Brand Name:	SLIMLINE
Housing Material:	Stainless steel AISI 304 (V2A)
Ingress protection to EN 60 529:	TYPE 12
Approvals:	CE / cURus


Technical data

Cooling capacity 95F/95F:	4090 BTU
Cooling capacity 95F/122F:	2970 BTU
Compressor type:	Rotary piston compressor
Refrigerant / GWP:	R 513A / 630
Refrigerant charge:	412 g / 14.5 oz
High / low pressure:	25 / 14 bar 363 / 203 psig
Air volume flow (system / unimpeded):	Ambient air circuit: 253 / 706 cfm Cabinet air circuit: 118 / 324 cfm
Operating temperature range:	50°F - 131°F
Mounting:	Wall mounted / Recessed
Dimension H x W x D:	49.21 x 15.55 x 5.71 in.
Weight:	88 lbs.
Cut out dimensions:	48.46 x 14.80 in.
Voltage / Frequency:	230 V ~ 50/60 Hz
Current 95F95F:	3.4 A @ 50 Hz 3.9 A @ 60 Hz
Starting current:	15.5 A
Max. current:	4.6 A
Nominal power 95F95F:	730 W @ 50 Hz 860 W @ 60 Hz
Max. power:	1030 W
Fuse:	10 A (T)
Max circuit ampacity:	15 A
Short-circuit current rating:	5 kA
Rated current compressor:	15.5 A
Full load current fans:	5.2 A
Connection:	Connection terminal block


Performance graph:



Air flow:



Cut out dimensions:



Order Information

Verpackungsmaße	1,347 x 496 x 204 mm
Bruttogewicht	45.5 kg
Zolltarifnummer	84158200
EAN Nummer	5350604371125