

Filterless enclosure air conditioner




Description

Order Number:	42702001
Brand Name:	SLIMLINE
Color:	RAL 7035
Housing Material:	Mild steel, powder coated
Ingress protection:	TYPE 12
Approvals:	CE / cURus


Technical data

Cooling capacity 95F/95F:	2050 BTU
Cooling capacity 95F/122F:	1025 BTU
Compressor type:	Rotary piston compressor
Refrigerant / GWP:	R134a / 1430
Refrigerant charge:	265 g / 9.3 oz
High / low pressure:	37 / 9.6 bar 406 / 140 psig
Operating temperature range:	50°F - 122°F
Air volume flow (system / unimpeded):	Ambient air circuit: 200 / 383 cfm Cabinet air circuit: 100 / 324 cfm
Mounting:	Wall mounted / Recessed
Dimension H x W x D:	31.89 x 15.55 x 5.71 in.
Weight:	73 lbs.
Cut out dimensions:	31.14 x 14.80 in.
Voltage / Frequency:	400 / 460 V - 50/60 Hz 2~
Current 95F95F:	1.3 A @ 50 Hz 1.4 A @ 60 Hz
Starting current:	4 A
Max. current:	2.1 A
Nominal power 95F95F:	550 W @ 50 Hz 570 W @ 60 Hz
Max. power:	700 W
Fuse:	2 x 3 A (T)
Max circuit ampacity:	15 A
Short-circuit current rating:	5 kA
Rated current compressor:	4 A
Full load current fans:	2.1 A
Connection:	Connection terminal block


Performance graph:



Air flow:



Cut out dimensions:



Order Information

Box dimensions	904.5 x 496 x 204 mm
Gross weight	37.5 kg
Taric code	84158200
GTIN (EAN)	5350604370807