

Air to Water Heat Exchanger



Description

Order Number:	750621B001
Brand Name:	SLIMLINE HEX
Color:	RAL 7035
Housing Material:	Mild steel, powder coated
Ingress protection:	IP 55 / Type 12, 3, 3R, 4, 4X
Included:	Digital Steuerung / Magnetventil
Approvals:	CE, cURus, cULus

Technical data

Cooling capacity 95F/W50F (53 GPH): 700 W

Coolant: Water, light oils or similar

Operating temperature range: 1°C - 60°C

Air volume flow (system / unimpeded): 110 / 220 m³/h

Mounting: Wandanbau / Halbeinbau

Dimension H x W x D: 600 x 250 x 127 (37 + 90) mm

Weight: 8.5 Kg

Voltage / Frequency: 380/415 V 50 Hz 2~
400/460 V 60 Hz 2~

Starting current: 1.0 A

Max. current: 0.25 A

Max. power: 35 W


Pressure water circuit: 10 bar

Water connection: Rp 3/8" - Innengewinde (mit optionalen Anschlüssen für Rohrrinnendurchmesser von 10 mm)

Fuse: 1 A (T)

Connection: 5-polige Anschlussklemme für Signale
4-polige Anschlussklemme für Spannung

Cut out dimensions:



Order Information

Mit Edelstahlgehäuse AISI 304 (V2A) Bestell Nr.	750621B001
Verpackungsmaße	692 x 285 x 192 mm
Bruttogewicht	9.5 Kg
Zolltarifnummer	84158300