

Outdoor air conditioner




Description

Order Number:	4108000
Brand Name:	Compact Outdoor
Housing Material:	Aluminum
Ingress protection:	NEMA 3R
Optional:	With enclosure heater order no. 4108010
Approvals:	CE, cURus

Technical data

Cooling capacity 95F/95F:	2800 BTU
Cooling capacity 95F/122F:	1690 BTU
Compressor type:	Rotary piston compressor
Refrigerant / GWP:	R134a / 1430
Refrigerant charge:	260 g / 9.2 oz
High / low pressure:	27 / 13 bar 400 / 144 psig
Operating temperature range:	50°F - +122°F
Air volume flow (system / unimpeded):	Ambient air circuit: 283 / 405 cfm Cabinet air circuit: 212 / 324 cfm
Mounting:	Internal
Dimension H x W x D:	35.04 x 18.31 x 6.18 in.
Weight:	66.14 lbs
Voltage / Frequency:	230 V ~ 50/60 Hz
Current 95F95F:	2.4 A @ 50 Hz 2.6 A @ 60 Hz
Starting current:	11.5 A
Max. current:	2.4 A
Nominal power 95F95F:	540 W @ 50 Hz 560 W @ 60 Hz
Max. power:	680 W
Fuse:	2 x 10 A (T)
Short-circuit current rating:	5 kA
Connection:	Connection terminal block

Performance graph:



Cut out dimensions:

