

Outdoor air conditioner




Description

Order Number:	4109000
Brand Name:	Compact Outdoor
Housing Material:	Aluminum
Ingress protection:	IP 55
Approvals:	CE, cURus

Technical data

Cooling capacity 95F/95F:	5190 BTU
Cooling capacity 95F/122F:	3140 BTU
Compressor type:	Rotary piston compressor
Refrigerant / GWP:	R134a / 1430
Refrigerant charge:	500 g / 17.6 oz
High / low pressure:	27 / 6 bar 400 / 88 psig
Operating temperature range:	50°F - +122°F
Air volume flow (system / unimpeded):	Ambient air circuit: 282 / 405 cfm Cabinet air circuit: 211 / 500 cfm
Mounting:	Internal
Dimension H x W x D:	40.35 x 18.37 x 6.18 in.
Weight:	66.14 lbs
Voltage / Frequency:	230 V ~ 50/60 Hz
Current 95F95F:	3.3 A @ 50 Hz 2.6 A @ 60 Hz
Starting current:	15.5 A
Max. current:	4.0 A
Nominal power 95F95F:	710 W @ 50 Hz 730 W @ 60 Hz
Max. power:	850 W
Fuse:	2 x 10 A (T)
Short-circuit current rating:	5 kA
Connection:	Connection terminal block

Performance graph:



Cut out dimensions:

