

Dachaufsatz Kühlgerät




Description

Order Number:	952000001
Brand Name:	SLIMLINE PRO TOP
Color:	RAL 7035
Housing Material:	Mild steel, powder coated
Ingress protection:	NEMA 12
Approvals:	CE

Technical data

Cooling capacity 95F/95F:	2100 W
Cooling capacity 95F/122F:	1600 W
Compressor type:	Rotary piston
Refrigerant / GWP:	R134a / 1430
High / low pressure:	28 / 6 bar 406 / 88 psi
Operating temperature range:	5°C - 55°C
Air volume flow (system / unimpeded):	Ambient air circuit: 1200 m³/h Enclosure air circuit: 602 m³/h
Mounting:	Roof mounted
Dimension H x W x D:	435 x 595 x 475 mm
Weight:	38.1 kg
Voltage / Frequency:	230 V ~ 50/60 Hz
Current 95F95F:	3.9 / 5.0 A
Starting current:	22 A
Max. current:	6.4 A
Nominal power 95F95F:	0.87 / 1.1 kW
Max. power:	1.44 kW
Fuse:	15 A (T)
Short-circuit current rating:	5 kA
Connection:	4 pole connector for power 5 pole connector for signals 3 pole connector for RS 485 MODBUS

Cut out dimensions:



Order Information

Mit Edelstahlgehäuse Bestell Nr.	95200002
Zolltarifnummer	84158200